

ezRoom Trio

The ezRoom Trio is the only all-in-one classroom media solution with premium sound quality and complete scalability. The FrontRow plenum-rated enclosure includes a three-speaker array and is designed to install easily in drop ceilings, replacing a single tile in a 2x2 ft grid. The entire solution requires only a single electrical connection and optional network connection. It's perfect for FrontRow installations where equipment needs to be secured, out of sight, and connected. Pre-installed options handle HDMI switching, voice reinforcement, voice commands, integration with school bells and paging system, emergency alert buttons, automation, projector control and management, and much more. Wall-mount AV plates and control panels make everything accessible for teachers, and are customizable for just the functions you need. Practically any communication or control need within the classroom or across the campus is easy for ezRoom Trio.



KEY FEATURES

- Digital feedback suppression
- Integrated HDMI with audio extraction
- Voice activated control
- Voice activated lesson capture
- Programmable, multi-colored LED beacon
- Expandable for more speakers
- Integrated Bluetooth® receiver

TRIO ALERT



SPECIFICATIONS

Ceiling Enclosure

•		
Size	(2x2) 23.7 x 23.7 x 3.22 in (60x60) 58.5 x 58.5 x 8.18 cm	
Weight	31lbs/14kg (Base model only. Actual weight depends on pre-installed options)	
Conforms to UL 2043	UL Standard for Safety Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces. ETL Listed	
	Includes four cables and cable locks for securing to structure	
Amplifier	Smart Receiver (ICR-01)	

TRIO



SPECIFICATIONS

Ceiling Enclosure

Size	(2x2) 23.7 × 23.7 × 3.22 in (60x60) 58.5 × 58.5 × 8.18 cm
Weight	27.6lbs/12.5kg (Base model only. Actual weight depends on pre-installed options)
Conforms to UL 2043	UL Standard for Safety Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces.
	ETL Listed
	Includes four cables and cable locks for securing to structure
Amplifier	CM900





Voice Amplification	FrontRow voice amplification ensures an educator's voice is loud enough to be heard in noisy environments like a classroom or multi-purpose room, no matter the distance from the student.	√	Optional
LED Beacon FrontRow's beacon feature provides a visual cue to accompany paging and intercom alerts when used in concert with Conductor™, as well as status indications from the ezRoom.		√	
Voice Commands	Voice commands allow for the control of ezRoom and connected devices simply by speaking.	√	
PrioriTeach	PrioriTeach puts the focus on the educator by ducking audio from all other sources when speaking through the teacher microphone.	✓	
OptiVoice	OptiVoice strengthens critical consonant sounds to make the teacher's voice more intelligible in classrooms with poor acoustics and high background noise.	√	
Adapto Adapto constantly adjusts for sound quality, reducing feedback and power usage to optimize system performance.		\checkmark	
Network Connectivity	ezRoom lives on the local network and can be integrated with Conductor™, a robust IP-based control and school communications solution that covers the entire campus.	√	\checkmark
Intercom	When used with Conductor, ezRoom can be used as a full duplex two-way communication tool between the classroom and the front office.	Optional	Optional
Audio Inputs	Allows additional audio sources to be integrated into ezRoom.	3	3
Audio Outputs	Allows audio to be sent out of ezRoom to another output, such as an Assisted Listening Device (ALD).	1 stereo 1 stereo with gain control	1 mono or stereo
External IR Sensor Jacks	Allows multiple IR sensors to be connected to ensure optimal microphone performance in large rooms.	3	2*
General Purpose Input (GPI)	Allows custom control inputs programmed by an integrator.	1	3**
RS232 Communications Port	Allows ezRoom to control other connected devices.	1	2
Relay Switch	On-board relays easily integrate shades, access-entry controlled doors, and other contact closure-controlled devices.	2	1
IR Blaster	ezRoom uses IR emitters to control 3rd party devices such as a TV or projector.	1	1
IR Learning	Onboard IR learning allows integrators to more easily program ezRoom to control other devices.		1
Alarm Detect ezRoom works in tandem with alarm systems, automatically muting the system so alerts can be heard clearly.			1
Power	ezRoom is powered by a low voltage power supply and PoE as a backup in case of a power outage is optional.	Low Voltage PoE Backup Optional	Low Voltage PoE Backup Optional

OPTIONAL PREINSTALLED FEATURES

When specifying an ezRoom system, choose from the following preinstalled options to customize your system to meet your needs.





	IR Voice Receiver	Adds voice amplification to ezRoom.	Included	√
	Integrated IR sensor	Provides full classroom coverage for microphones without having to install additional sensors.	√	\checkmark
CHOOSE ONE	Audio Extraction	Allows ezRoom to de-embed audio from HDMI sources so it can be played through ezRoom or be independently routed.	√	✓
	4:1 HDMI Inputs	Switches between up to four HDMI sources, while de-embedding audio to be played through ezRoom speakers.	\checkmark	\checkmark
	Speaker Expansion	Allows the connection of an additional four speakers to ezRoom for increased coverage in larger rooms.	√	
	Channel Expansion	Allows the addition of up to three additional microphones, for a total of five microphones per system.	√	
	Page Override	Automatically mutes the teacher's voice and other audio when a page comes through ezRoom.	√	\checkmark
	Bluetooth®	Allows users to wirelessly play audio through ezRoom from any Bluetooth enabled device.	\checkmark	\checkmark
	PoE Backup	Provides critical paging functionality in the event of a power outage.	\checkmark	\checkmark
	Integrated Room Mic	Allows any ezRoom to function as an intercom device with or without a teacher microphone.	√	✓

HOW TO ORDER

First, decide if your ezRoom will be a classroom-only system or connected to **Conductor**. After that, building an ezRoom system is, well...easy.



Choose your mounting location and pre-installed options based on what media and devices you want to connect



Choose a **microphone option** for the teacher
or add student
microphones



Choose **speaker options** based on
your room construction
and size



Choose your **control options** and **AV input plates** to connect and control devices





Choose your **Software** and **Accessories**, such as Lesson Capture, FrontRow Control and **additional student & teacher mics**



Learn more at gofrontrow.com

FrontRow USA/Global

1690 Corporate Circle Petaluma, CA 94954 tel: 800.227.0735 fax: 707.769.9624 gofrontrow.com

FrontRow Canada

1600-4950 Yonge Stree Toronto, ON M2N 6K1 tel: 800.340.9894 fax: 905.677.7760

FrontRow Australia

629 Nudgee Road Nundah Qld 4012 tel: 1800 746 642 fax: 1300 737 983

FrontRow UK

Cadzow Industrial Estate Low Waters Road Hamilton Lanarkshire ML37QE

© 2020 FrontRow Calypso LLC Phonic Ear, FrontRow, Calypso and the names of Phonic Ear, Calypso, and FrontRow products are trademarks or registered trademarks of FrontRow Calypso LLC in the U.S. and other countries EnergyStar and the EnergyStar mark are registered U.S. marks. Google Apps is a trademark of Google Inc. Schoology, Windows is a trademark of Microsoft Corporation in the U.S.A. and/or other countries are trademarked to the control of Apps and the Corporation of the U.S.A. and/or other countries.